

# LTP

## Transformer & Power

A. d. Schleifmuehle 37  
28203 Bremen, Germany

### TECHNICAL SPECIFICATION

**NAME:** Three -phase oil-Immersed transformer according to IEC 60076- BS 171, with conservator, , suitable for outdoor installation, a maximum ambient temperature of 45 ° C and maximum altitude for installation of 1000 m above sea level, with copper windings, routine test and Tolerance according to IEC60076- BS 171

### Model-LTP

<b>Type -Model</b>	: LTP -800/11	<b>Cooling method</b>	: ONAN
<b>Rated Capacity KVA</b>	: 800 KVA	<b>Operating duty</b>	: DB
<b>Rated Voltage</b>	: 11000/400 Volts	<b>Frequency (Hz)</b>	: 50
<b>Rated current</b>	: 42 / 1155 Amps.	<b>Mode</b>	: LT
<b>Tapping</b>	: HV side in 4 steps of 2.5%	<b>Class of Insulation Material</b>	: A
	: +5% to - 5 %	<b>Mounting</b>	: Ground
<b>Vector Group</b>	: Dyn 1		
<b>Neutral Point</b>	: taken out on LV side with	100% rating inside LV Cable Box	

<b>No load losses W</b>	: 1200	Tolerance : + 15%
<b>Load losses at 75°C W</b>	: 8400	Tolerance : + 15%
<b>Total losses W</b>	: 9600	Tolerance : + 10%
<b>Short circuit voltage At 75°C (Impedance)</b>	: 5.11 %	Tolerance + 10 %
<b>Oil Quantity (Approx.)</b>	: 510 Kgs./	620 Litres
<b>Total Weight (Kg)</b>	: 2650	

#### DIMENSIONS (Approximate)

<b>Length (mm)</b>	: 1700
<b>Width (mm)</b>	: 2080
<b>Height (mm)</b>	: 1900

<b>Regulation at Rated Current</b>	At U.P.F. 1.17%	At 0.80 P.F. 3.87%
<b>Efficiency at Rated Current</b>	: At 125% 99.05%	At 100% 98.52%
	At 75% 99.02%	At 50% 99.00%
	At 25% 99.14%	---

**Standard Accessories** : AS per customer's specifications

**Bushings** : HV 3 pcs. IS:3347 similar to DIN 42531  
: LV 4 pcs. IS:3347 similar to DIN 42530 (**Cable Box**)

**Painting** : Standard Transformer Colour or as per customer's requirement

<b>Notes</b>	: Max. ambient temperature	45°C
	: Max. over temperature of oil	55°C
	: Max. over temperature of winding	65°C
	: Lightning Impulse withstand test	70 K.V.P.
	: Applied Voltage withstand test	HV 28 K.V.R.M.S.
		LV 3 K.V.R.M.S.

**Inscription** : English

**LTP Transformer & Power**

**Bremen**